

Package: WeightedPortTest (via r-universe)

September 17, 2024

Type Package

Title Weighted Portmanteau Tests for Time Series Goodness-of-Fit

Version 1.1

Date 2023-05-23

Description An implementation of the Weighted Portmanteau Tests described in "New Weighted Portmanteau Statistics for Time Series Goodness-of-Fit Testing" published by the Journal of the American Statistical Association, Volume 107, Issue 498, pages 777-787, 2012.

License GPL (>=3)

LazyLoad yes

Repository <https://tjfisher19.r-universe.dev>

RemoteUrl <https://github.com/tjfisher19/weightedporttest>

RemoteRef HEAD

RemoteSha 4c48709e362fc58f7251803dd30bc4eb036840d3

Contents

WeightedPortTest-package	1
Weighted.Box.test	2
Weighted.LM.test	4

Index	6
--------------	----------

WeightedPortTest-package

Weighted Portmanteau Test procedures for Time Series Goodness-of-fit

Description

Two functions that implement the Weighted Portmanteau Statistics from Fisher and Gallagher (2012). The first is essentially a weighted Ljung-Box type test that can be used for fitted ARMA processes or detecting non-linear effects. The second function can be utilized to check the adequacy of a fitted ARCH process. Both are written for backward compatibility.

Details

```
Package:   WeightedPortTest
Type:     Package
Version:  1.1
Date:    2023-05-23
License:  GPL (>=3)
LazyLoad: yes
```

The two functions, `Weighted.Box.test()` and `Weighted.LM.test()`, can be used in a similar to the `Box.test()` function.

Author(s)

Thomas J. Fisher and Colin M. Gallagher

Maintainer: Thomas J. Fisher <fishert4@miamioh.edu>

Weighted.Box.test *Weighted Portmanteau Test*

Description

Weighted portmanteau tests for testing the null hypothesis of adequate ARMA fit and/or for detecting nonlinear processes. Written in the style of `Box.test()` and is capable of performing the traditional Box Pierce (1970), Ljung Box (1978) or Monti (1994) tests.

Usage

```
Weighted.Box.test(x, lag = 1,
                 type = c("Box-Pierce", "Ljung-Box", "Monti"),
                 fitdf = 0, sqrd.res = FALSE,
                 log.sqrd.res = FALSE, abs.res = FALSE,
                 weighted = TRUE)
```

Arguments

<code>x</code>	a numeric vector or univariate time series, or residuals of a fitted time series
<code>lag</code>	the statistic will be based on lag autocorrelation coefficients. lag=1 by default
<code>type</code>	test to be performed, partial matching is used. "Box-Pierce" by default
<code>fitdf</code>	number of degrees of freedom to be subtracted if x is a series of residuals, set at 0 by default
<code>sqr.res</code>	A flag, should the series/residuals be squared to detect for nonlinear effects?, FALSE by default
<code>log.sqr.res</code>	A flag, should a log of the squared series/residuals be used to detect for nonlinear effects? FALSE by default
<code>abs.res</code>	A flag, should the absolute series or residuals be used to detect for nonlinear effects? FALSE by default
<code>weighted</code>	A flag determining if the weighting scheme should be utilized. TRUE by default. If set to FALSE, the traditional test is performed with no weights

Details

These test are traditionally applied to a time series for detecting autocorrelation, or to the residuals of an ARMA(p,q) fit to check the adequacy of that fit or to detect nonlinear (i.e. GARCH) effects in the time/residual series. The weighting scheme utilized here is asymptotically similar to the results found in Pena and Rodriguez (2002) and Mahdi and McLeod (2012) (i.e. the `portest` package).

Value

A list with class "htest" containing the following components:

<code>statistic</code>	the value of the test statistic
<code>parameter</code>	The approximate shape and scale parameters for the weighted statistic or degrees of freedom of the chi-squared distribution if the weighted flag is set to false.
<code>p.value</code>	The p-value of the test
<code>method</code>	a character string indicating which type of test was performed.
<code>data.name</code>	a character string giving the name of the data

Note

Like the `Box.test()` function, missing values are not handled

Author(s)

Thomas J. Fisher

References

- Box, G. E. P. and Pierce, D. A. (1970), Distribution of residual correlations in autoregressive-integrated moving average time series models. *Journal of the American Statistical Association*, 65, 1509-1526.
- Fisher, T. J. and Gallagher, C. M. (2012), New Weighted Portmanteau Statistics for Time Series Goodness-of-Fit Testing. *Journal of the American Statistical Association*, 107(498), 777-787.
- Ljung, G. M. and Box, G. E. P. (1978), On a measure of lack of fit in time series models. *Biometrika* 65, 297-303.
- Mahdi, E. and McLeod, A. I. (2012), Improved multivariate portmanteau test. *Journal of Time Series Analysis* 65(2), 297-303.
- Monti, A. C. (1994), A proposal for a residual autocorrelation test in linear models. *Biometrika* 81(4), 776-780.
- Pena, D. and Rodriguez, J. (2002) A powerful portmanteau test of lack of fit for time series. *Journal of the American Statistical Association* 97(458), 601-610.

Examples

```
set.seed(1)
x <- rnorm(100);
Weighted.Box.test(x, lag=10, type="Ljung");
Weighted.Box.test(x, lag=10, type="Ljung", sqrd.res=TRUE);
```

Weighted.LM.test	<i>Weighted Portmanteau Test for Fitted ARCH process</i>
------------------	--

Description

A weighted portmanteau test for testing the null hypothesis of adequately fitted ARCH process. This is essentially a weighted version of the statistic proposed by Li and Mak (1994)

Usage

```
Weighted.LM.test(x, h.t, lag = 1,
                 type = c("correlation", "partial"),
                 fitdf = 1, weighted = TRUE)
```

Arguments

<code>x</code>	a numeric vector or univariate time series, or residuals of a fitted time series
<code>h.t</code>	a numeric vector of the conditional variances
<code>lag</code>	the statistic will be based on lag autocorrelation coefficients.
<code>type</code>	type of test to be performed, either based on the autocorrelations or partial-autocorrelations.
<code>fitdf</code>	the number of ARCH parameters fit to the model, default=1 since at least some ARCH model must be fit to find h.t

`weighted` A flag determining if the weighting scheme should be utilized. TRUE by default, if FALSE, it performs the test from Li and Mak (1994)

Details

These test can be performed after fitting an ARCH process to a time series. The theoretical work was originally developed in Li and Mak (1994) and has recently been extended in Fisher and Gallagher (2012).

Value

A list with class "htest" containing the following components:

<code>statistic</code>	the value of the test statistic
<code>parameter</code>	The approximate shape and scale parameters for the weighted statistic or degrees of freedom of the chi-squared distribution if the weighted flag is set to FALSE.
<code>p.value</code>	The p-value of the test
<code>method</code>	a character string indicating which type of test was performed.
<code>data.name</code>	a character string giving the name of the data

Note

Similar to the `Box.test()` and `Weighted.Box.test()` functions

Author(s)

Thomas J. Fisher

References

Fisher, T. J. and Gallagher, C. M. (2012), New Weighted Portmanteau Statistics for Time Series Goodness-of-Fit Testing. *Journal of the American Statistical Association*, 107(498), 777-787.

Li, W. K. and Mak, T. K. (1994), On the squared residual autocorrelations in non-linear time series with conditional heteroskedasticity. *Journal of Time Series Analysis* 15(6), 627-636.

Index

Weighted.Box.test, [2](#)
Weighted.LM.test, [4](#)
WeightedPortTest
 (WeightedPortTest-package), [1](#)
WeightedPortTest-package, [1](#)